

FILE 'HOME' ENTERED AT 16:25:20 ON 17 MAR 2004

=> file Agricola, biosis, caplus, caba  
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FULL ESTIMATED COST

FILE 'AGRICOLA' ENTERED AT 16:25:46 ON 17 MAR 2004

FILE 'BIOSIS' ENTERED AT 16:25:46 ON 17 MAR 2004  
COPYRIGHT (C) 2004 BIOLOGICAL ABSTRACTS INC. (R)

FILE 'CAPLUS' ENTERED AT 16:25:46 ON 17 MAR 2004  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CABA' ENTERED AT 16:25:46 ON 17 MAR 2004  
COPYRIGHT (C) 2004 CAB INTERNATIONAL (CABI)

=> s hsp100 or hsp101 or hsp?  
L1 40202 HSP100 OR HSP101 OR HSP?

=> s (transform? or transgen? or agrobacter? or biolistic or bombard?)  
L2 1136158 (TRANSFORM? OR TRANSGEN? OR AGROBACTER? OR BIOLISTIC OR BOMBARD?  
)

=> s (plant or Arabidopsis or corn or maize or zea mays or petunia or tomato or  
tobacco or Antirrhinum )  
3 FILES SEARCHED...  
L3 5703547 (PLANT OR ARABIDOPSIS OR CORN OR MAIZE OR ZEA MAYS OR PETUNIA  
OR TOMATO OR TOBACCO OR ANTIRRHINUM )

=> s l1(P)l2(P)l3  
L4 353 L1(P) L2(P) L3

=> s l4 not py>1999  
L5 235 L4 NOT PY>1999

=> dup rem l5  
PROCESSING COMPLETED FOR L5  
L6 99 DUP REM L5 (136 DUPLICATES REMOVED)

=> d 1-15 ti

L6 ANSWER 1 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN  
TI Enhanced thermotolerance in **plants** by **transformation**  
with heat-shock protein **Hsp17.7**

L6 ANSWER 2 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 1  
TI New gene family defined by MORC, a nuclear protein required for mouse  
spermatogenesis.

L6 ANSWER 3 OF 99 AGRICOLA Compiled and distributed by the National  
Agricultural Library of the Department of Agriculture of the United States  
of America. It contains copyrighted materials. All rights reserved.  
(2004) on STN DUPLICATE 2  
TI An imperfect heat shock element and different upstream sequences are  
required for the seed-specific expression of a small heat shock protein  
gene.

L6 ANSWER 4 OF 99 AGRICOLA Compiled and distributed by the National  
Agricultural Library of the Department of Agriculture of the United States

- of America. It contains copyrighted materials. All rights reserved.  
(2004) on STN DUPLICATE 3
- TI Magnesium chelatase subunit D from pea: characterization of the cDNA, heterologous expression of an enzymatically active protein and immunoassay of the native protein.
- L6 ANSWER 5 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 4
- TI Suppressed phenylalanine ammonia-lyase activity after heat shock in **transgenic** *Nicotiana plumbaginifolia* containing an **Arabidopsis HSP18.2**-parsley PAL2 chimera gene.
- L6 ANSWER 6 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.  
(2004) on STN DUPLICATE 5
- TI Increased steady state mRNA levels of the STM and KNAT1 homeobox genes in cytokinin overproducing *Arabidopsis thaliana* indicate a role for cytokinins in the shoot apical meristem.
- L6 ANSWER 7 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN
- TI A comparison of GUS activity after liquid- and air-heat shock treatments in **transgenic** *Nicotiana plumbaginifolia* harboring the **Arabidopsis HSP18.2** promoter-GUS chimeric gene
- L6 ANSWER 8 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 6
- TI Transformation of five grape rootstocks with plant virus genes and a virE2 gene from *Agrobacterium tumefaciens*.
- L6 ANSWER 9 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Studies on wheat prolyl isomerase in transgenic plants
- L6 ANSWER 10 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 7
- TI The chloroplast small heat shock protein undergoes oxidation-dependent conformational changes and may protect plants from oxidative stress.
- L6 ANSWER 11 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.  
(2004) on STN DUPLICATE 8
- TI Delayed recovery of beta-glucuronidase activity driven by an *Arabidopsis* heat shock promoter in heat-stressed transgenic *Nicotiana plumbaginifolia*.
- L6 ANSWER 12 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.  
(2004) on STN DUPLICATE 9
- TI Organ-specific expression of beta-glucuronidase activity driven by the *Arabidopsis* heat-shock promoter in heat-stressed transgenic *Nicotiana plumbaginifolia*.
- L6 ANSWER 13 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.  
(2004) on STN DUPLICATE 10
- TI Modified expression of a carrot small heat shock protein gene, Hsp17.7, results in increased or decreased thermotolerance.
- L6 ANSWER 14 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 11
- TI Overexpression of DnaK from a halotolerant cyanobacterium *Aphanothece halophytica* acquires resistance to salt stress in transgenic tobacco

plants.

L6 ANSWER 15 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 12  
TI The chloroplast small heat shock protein in transgenic Arabidopsis thaliana

=> d 16-30 ti

L6 ANSWER 16 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN  
TI Biochemical mechanisms of evolution and the role of oxygen

L6 ANSWER 17 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN DUPLICATE 13  
TI Beet yellows closterovirus HSP70-like protein mediates the cell-to-cell movement of a potexvirus transport-deficient mutant and a hordeivirus-based chimeric virus.

L6 ANSWER 18 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 14  
TI A sensitive detection method for genetically modified MaisGardTM corn using a nested PCR-system.

L6 ANSWER 19 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN DUPLICATE 15  
TI Dual regulation of a heat shock promoter during embryogenesis: stage-dependent role of heat shock elements.

L6 ANSWER 20 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 16  
TI HSF3, a new heat shock factor from Arabidopsis thaliana, derepresses the heat shock response and confers thermotolerance when overexpressed in transgenic plants.

L6 ANSWER 21 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 17  
TI Phenotypic alterations and component analysis of seed yield in transgenic Brassica napus plants expressing the tzs gene.

L6 ANSWER 22 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN  
TI Manipulation of temperature stress tolerance in transgenic plants

L6 ANSWER 23 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN  
TI Over-expression of the mitochondrial matrix located **HSP70** in **transgenic tobacco** results in enhanced growth characteristics

L6 ANSWER 24 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN  
TI Enhancement of the tolerance of Arabidopsis to high temperatures by genetic engineering of the synthesis of glycinebetaine

L6 ANSWER 25 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 18  
TI Expression of a gene encoding a 16.9-kDa heat-shock protein, Oshsp16.9, in Escherichia coli enhances thermotolerance.

L6 ANSWER 26 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN DUPLICATE 19

- TI Stable transformation of an Arabidopsis cell suspension culture with firefly luciferase providing a cellular system for analysis of chaperone activity in vivo.
- L6 ANSWER 27 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 20
- TI Increased content of endogenous cytokinins does not delay degradation of photosynthetic apparatus in tobacco.
- L6 ANSWER 28 OF 99 CABA COPYRIGHT 2004 CABI on STN
- TI Do phytohormones regulate the synthesis of heat shock proteins in plants?.
- L6 ANSWER 29 OF 99 CABA COPYRIGHT 2004 CABI on STN
- TI Deletion analysis of the **maize hsp82, hsp81, and hsp17.9** promoters in **maize** and **transgenic tobacco**: contributions of individual heat shock elements and recognition by distinct protein factors during both heat shock and development.
- L6 ANSWER 30 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Over-expression of mitochondrial matrix **HSP70** in **transgenic tobacco**.

=> d 31-45 ti

- L6 ANSWER 31 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 21
- TI Variability of gene expression in transgenic tobacco.
- L6 ANSWER 32 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Carrot cell lines and **tomato plants transformed** with a small heat shock protein from carrot (**Hsp 17.7**) exhibit increased thermotolerance.
- L6 ANSWER 33 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Expression level of low molecular weight **HSPs** and their influence on heat stress granules in **transgenic Arabidopsis plants**.
- L6 ANSWER 34 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Stress-tolerant plants and a transgenic method for producing them
- L6 ANSWER 35 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Tissue-specific expression and environmental regulation of the barley Hvhspl7 gene promoter in transgenic tobacco plants
- L6 ANSWER 36 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN  
DUPLICATE 22
- TI Differential regulation of small heat-shock genes in plants: analysis of a water-stress-inducible and developmentally activated sunflower promoter.
- L6 ANSWER 37 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN  
DUPLICATE 23
- TI Characterization and subcellular localization of a small GTP-binding protein (Ara-4) from Arabidopsis: conditional expression under control of the promoter of the gene for heat-shock protein HSP81-1.
- L6 ANSWER 38 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 24

- TI Transport and deposition of cereal prolamins.
- L6 ANSWER 39 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 25
- TI Specific and general gene induction in limiting environmental conditions
- L6 ANSWER 40 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Derepression of the heat shock response and genetic engineering of thermotolerance in Arabidopsis using recombinant heat shock factor
- L6 ANSWER 41 OF 99 CABA COPYRIGHT 2004 CABI on STN
- TI Derepression of the heat shock response and genetic engineering of thermotolerance in Arabidopsis using recombinant heat shock factor.
- L6 ANSWER 42 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN DUPLICATE 26
- TI An **Hsp70** antisense gene affects the expression of **HSP70** /HSC70, the regulation of HSF, and the acquisition of thermotolerance in **transgenic Arabidopsis thaliana**.
- L6 ANSWER 43 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN DUPLICATE 27
- TI A recombinant rice 16.9-kDa heat shock protein can provide thermoprotection in vitro.
- L6 ANSWER 44 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN DUPLICATE 28
- TI Derepression of the activity of genetically engineered heat shock factor causes constitutive synthesis of heat shock proteins and increased thermotolerance in transgenic Arabidopsis.
- L6 ANSWER 45 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN DUPLICATE 29
- TI Heat-inducible expression system for a foreign gene in cultured tobacco cells using the HSP18.2 promoter of Arabidopsis thaliana.
- => d 46-60 ti
- L6 ANSWER 46 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- TI Ectopic expression of chimaeric HSF causes constitutive activation of **HSP** synthesis in **transgenic Arabidopsis plants**.
- L6 ANSWER 47 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 30
- TI The expression of a small heat shock gene is activated during induction of tobacco pollen embryogenesis by starvation.
- L6 ANSWER 48 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN DUPLICATE 31
- TI A soybean 101-kD heat shock protein complements a yeast HSP104 deletion mutant in acquiring thermotolerance.
- L6 ANSWER 49 OF 99 AGRICOLA Compiled and distributed by the National

Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN

DUPLICATE 32

- TI Analysis of tissue-specific expression of Arabidopsis thaliana HSP90-family gene HSP81.
- L6 ANSWER 50 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 33
- TI Biolistic techniques for transfection of mosquito embryos (Anopheles gambiae).
- L6 ANSWER 51 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 34
- TI Cytokinins modulate stress response genes in isopentenyl transferase-transformed Nicotiana plumbaginifolia plants.
- L6 ANSWER 52 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 35
- TI Genetic and molecular evidences of the regulation of gene expression during heat shock in plants
- L6 ANSWER 53 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 36
- TI Studies of a chloroplast-localized small heat shock protein in Arabidopsis
- L6 ANSWER 54 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Heat shock proteins of tomato, genes encoding them, and use of gene promoter.
- L6 ANSWER 55 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- DUPLICATE 37
- TI Morphometric analysis of the growth of Phsp70-ipt transgenic tobacco plants.
- L6 ANSWER 56 OF 99 CABA COPYRIGHT 2004 CABI on STN
- TI Molecular genetics of stress breeding: heat shock proteins.
- L6 ANSWER 57 OF 99 CABA COPYRIGHT 2004 CABI on STN
- TI Molecular and genetic analysis of the heat-shock response in transgenic plants.
- L6 ANSWER 58 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- DUPLICATE 38
- TI Expression in yeast of a fusion gene composed of the promoter of a heat-shock gene from Arabidopsis and a bacterial gene for beta-glucuronidase.
- L6 ANSWER 59 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 39
- TI Heat inducible inhibition of the neomycin phosphotransferase II activity in transgenic tobacco cells.
- L6 ANSWER 60 OF 99 CABA COPYRIGHT 2004 CABI on STN
- TI Molecular genetics of the heat shock response.

=> d 61-75 ti

- L6 ANSWER 61 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- DUPLICATE 40

- TI Floral organ-specific and constitutive expression of an Arabidopsis thaliana heat-shock HSP18.2::GUS fusion gene is retained even after homeotic conversion of flowers by mutation.
- L6 ANSWER 62 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 41
- TI Tansley Review Number 51: Gene expression under temperature stress.
- L6 ANSWER 63 OF 99 CABA COPYRIGHT 2004 CABI on STN
- TI Involvement of a chloroplast HSP70 heat shock protein in the integration of a protein (light-harvesting complex protein precursor) into the thylakoid membrane.
- L6 ANSWER 64 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN  
DUPLICATE 42
- TI Expression of a chimaeric heat-shock-inducible Agrobacterium 6b oncogene in Nicotiana rustica.
- L6 ANSWER 65 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN  
DUPLICATE 43
- TI Developmental expression of tomato heat-shock cognate protein 80.
- L6 ANSWER 66 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN  
DUPLICATE 44
- TI The **Arabidopsis HSP18.2** promoter/GUS gene fusion in **transgenic Arabidopsis plants**: a powerful tool for the isolation of regulatory mutants of the heat-shock response.
- L6 ANSWER 67 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN  
DUPLICATE 45
- TI Transgenic tobacco plants with heat-inducible IAA synthesis genes
- L6 ANSWER 68 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN  
DUPLICATE 46
- TI Development of a GUS reporter gene system for the maize pathogen Ustilago maydis.
- L6 ANSWER 69 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN  
DUPLICATE 47
- TI Transformation of vitis tissue by different strains of Agrobacterium tumefaciens containing the T-6b gene.
- L6 ANSWER 70 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN  
DUPLICATE 48
- TI Regulatory sequences for expressing genes in oomycete fungi.
- L6 ANSWER 71 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Genetic approaches to the function of the chloroplast low molecular weight heat shock protein
- L6 ANSWER 72 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 49
- TI GENETIC TRANSFORMATION OF THE PLANT PATHOGENS PHYTOPHTHORA-CAPSICI AND

PHYTOPHTHORA-PARASITICA.

- L6 ANSWER 73 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- TI Genetic transformation of the plant pathogens *Phytophthora capsici* and *Phytophthora parasitica*.
- L6 ANSWER 74 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 50
- TI TRANSFORMATION OF THE OOMYCETE PATHOGEN *PHYTOPHTHORA-INFESTANS*.
- L6 ANSWER 75 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN DUPLICATE 51
- TI Cytokinin content and tissue distribution in plants transformed by a reconstructed isopentenyl transferase gene.
- => d 76-90 ti
- L6 ANSWER 76 OF 99 CABA COPYRIGHT 2004 CABI on STN
- TI Induced inhibition of the activity of gene *nptII* in cells of transgenic tobacco by using antisense constructs of this gene.
- L6 ANSWER 77 OF 99 CABA COPYRIGHT 2004 CABI on STN
- TI Construction of a system for regulated alterations of endogenous cytokinins.
- L6 ANSWER 78 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 52
- TI Antisense RNA inhibition of  $\beta$ -glucuronidase gene expression in transgenic tobacco can be transiently overcome using a heat-inducible  $\beta$ -glucuronidase gene construct
- L6 ANSWER 79 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 53
- TI ARABIDOPSIS SENSITIVITY OF GROWTH TO HIGH TEMPERATURE.
- L6 ANSWER 80 OF 99 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN DUPLICATE 54
- TI IAA synthesis and root induction with *iaa* genes under heat shock promoter control.
- L6 ANSWER 81 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Construction of a system for regulated alterations of endogenous cytokinins
- L6 ANSWER 82 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 55
- TI P-TRANSPOSABLE VECTORS EXPRESSING A CONSTITUTIVE AND THERMOINDUCIBLE HSP82-NEO FUSION GENE FOR *DROSOPHILA* GERMLINE TRANSFORMATION AND TISSUE-CULTURE TRANSFECTION.
- L6 ANSWER 83 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Transgenic tobacco plants with modified physiology and morphology, due to expression of *agrobacterium* or plasmid genes
- L6 ANSWER 84 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN DUPLICATE 56
- TI MUTATION IN A HEAT-REGULATED HSP70 GENE OF *USTILAGO-MAYDIS*.



- L6 ANSWER 85 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 57
- TI ALTERATIONS OF ENDOGENOUS CYTOKININS IN TRANSGENIC PLANTS USING A CHIMERIC  
ISOPENTENYLTRANSFERASE GENE.
- L6 ANSWER 86 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 58
- TI Construction of a heat-inducible chimeric gene to increase the cytokinin  
content in transgenic plant tissue
- L6 ANSWER 87 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 59
- TI CHARACTERIZATION OF TWO GENES ENCODING SMALL HEAT-SHOCK PROTEINS IN  
ARABIDOPSIS-THALIANA.
- L6 ANSWER 88 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 60
- TI Manipulation of endogenous auxin and cytokinin levels in transgenic plants
- L6 ANSWER 89 OF 99 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN  
DUPLICATE 61
- TI STRUCTURE AND EXPRESSION OF A GENE ENCODING HEAT-SHOCK PROTEIN HSP70 FROM  
THE OOMYCETE FUNGUS BREMIA-LACTUCAE.
- L6 ANSWER 90 OF 99 CAPLUS COPYRIGHT 2004 ACS on STN
- TI Heterologous gene expression in the basidiomycete fungus Coprinus cinereus